

# Index

---

- Added mass, 662, 679, 685
- Analysis of strain, 94, 109
- Analysis of stress, 94, 98
- Anti-clastic curvature, 241
- Annular disc, 547
  
- Barrel-like failure in mild steel, 23
- Beam, cross-section
  - one axis of symmetry, 248
  - two axes of symmetry, 218
- Beam mechanism, 401
- Beam one axis of symmetry, 220
- Beams, built in, 339, 341, 343
  - composite, 266
  - compound, 266
  - continuous, 346
  - curved, 189
  - deflections, 295, 307, 333
  - disadvantages, 345
  - end couples and distributed load, 320
  - fixed end moments, 342
  - lateral buckling, 454
  - longitudinal bending stresses, 212
  - non-uniformly distributed load, 322
  - plane curved, 189
  - plastic bending, 397
  - principal stresses, 256
  - rectangular cross-section, 351
  - shearing stresses, 245, 259
  - slope deflection equations, 347, 349
  - superimposed, 258
  - two materials, 266
  - transformed section, 267
  - varying section, 325
  - vibrations, 643
- Bending, bi-symmetric beams, 218
  - combined with direct stresses, 283
  - elastic, 239, 295, 353
  - mono-symmetric beams, 220
  - plasticity in mild-steel beams, 352
  - rectangular beam, 212, 352
  - strain energy, 239
- Bending moment, 169
  - diagrams, 173, 175, 179
  - sign conventions, 172
- Bending moments
  - fixed end, 342
  - Table, 336
- Bending of a beam about a principal axis, 216
- Bending of a curved bar, 192
- Bending stiffness, 215
- Bending stress in cylinders, 164
- Bolted connections, 76
- Boundary considerations, 475
- Breakdown of brittle materials, 149
- Breaking point, 13
- Brittle materials, 13, 19, 149
  - breakdown, 149
  - stress-strain curves, 18
- Buckling of beams, 424
- Buckling of struts, 424
  - built-in ends, 444
  - cruciform, 450
  - Euler load, 429
  - narrow beam, 454
  - pinned ends, 445
  - torsional, 450
- Buckling of struts, modes, 426
  - cruciform, 452
  - pin-ended, 424
  - torsional, 452
- Built-in beams, 339
- Butt weld, 86
  
- Cantilevers, 169, 173, 304
  - concentrated load, 301
  - irregular loading, 324
  - non-uniformly distributed load, 177
  - uniformly distributed load, 303
- Cast-iron, failure in compression, 23
- Centroid, 200
- Centroidal axes, 201
- Change of cross-section in pure bending, 241
- Channel-section beam, 259
- Circle of second moments of area, 237
- Circle of strain, 111
- Circle of stress, 103

- Circular ring rotating, 49
- Circular ring under radial pressure, 48
- Circumferential joint efficiency, 161
- Circumferential stress, 153
- Cofactor and adjoint matrices, 557
- Cold-driven rivets, 80
- Collapse of rotating rings, 548
- Combined bending and direct stresses, 283
  - core of a section, 287
- Combined bending and thrust
  - of a stocky strut, 283
- Combined mechanism, 401
- Combined torsion and direct stresses, 375
- Comparison of elastic and plastic
  - section module, 359
  - Table, 360
- Compatibility of strain, 64
- Compatible system, 392
- Complementary energy, 413
  - bending problems, 415
- Complementary shearing stress, 71
- Composite bars, 42, 45
  - temperature stresses, 45
  - tension and compression, 42
- Composite beams transformed section, 266
- Composites, failure of, 149
- Compound beams, 266
- Compound tubes, 525
- Compression, 5, 12
  - composite bars, 42
- Compressive strain, 17
- Compressive stress, 14
- Concentrated loads
  - traversing a beam, 170, 194
- Concrete beams
  - ordinary reinforced, 272
  - pre-compressed eccentrically, 291
  - pre-stressed, 289
- Concrete, stress-strain curves, 20
- Connections, 81
  - bolted, 76, 83
  - efficiency, 81
  - group-riveted, 82
  - welded, 86
- Continuous beams, 339, 346
  - slope-deflection equations, 347
- Contraflexure, points of, 186
- Co-ordinates, 571
- Core of a section, 286, 287
- Couple applied to a beam, 316
- Couples, 6
- Creep-under sustained stress, 52
- Criterion of yielding, 147, 532
- Cup-and cone failure in mild-steel, 23
- Cup-like failure in light-alloy, 23
- Curvature, anti-clastic, 241
- Curved beams, 189
  - plane, 189
- Cylindrical shell, 152, 155
  - hemispherical ends, 163
- Damped vibrations of beams, 652
- Deflections of beams, 295, 391
  - cantilever, 301, 393
  - cantilever with irregular loading, 324
  - complementary energy, 413
  - curved beams, 189
  - due to couples, 316
  - due to shear, 333
  - moment-area analysis, 327
  - propped cantilever, 396
  - pure bending, 298
  - shear effects, 333
  - simply-supported beams, 300, 307
  - Table, 336, 349
  - varying-section beams, 324
  - virtual work analysis, 396
- Derivation of expression for mass matrix, 657
- Derivation of hoop and radial stress equations
  - thick-walled circular cylinder, 515
- Design of pin-ended struts, 440
- Determinants, 556
- Direct stress, 12, 33, 95
  - combined with bending stresses, 283
  - lateral strains, 33
- Disadvantages of built-in beams, 344
- Displacements of pin-jointed frames, 580
- Distortion strain energy, 130
- Distributed loads traversing a beam, 170
- Ductile materials, 20, 144
- Ductility measurement, 31
  - high ductility, 32
  - low ductility, 32
  - Table, 32
- Eccentric loading of bolted and
  - riveted connections, 83
- Eccentric thrust, 285
- Eccentrically-loaded riveted joints, 83
- Eccentrically-loaded strut, 432
- Eccentrically pre-compressed
  - concrete beam, 291
- Economy of materials, 36
- Effect of geometrical imperfections, 430
- Effect of sinking supports, 345
- Effective lengths of struts, 431

- Table, 431
- Efficiency of connections, 81
- Eigenmode, 670, 674, 682
- Elastic and plastic moduli, 359
- Elastic bending, 295
  - section modulus, 228, 359
  - strain energy, 239
- Elastic breakdown and failure
  - of brittle material, 149
- Elastic constants for problems, 142
- Elastic hoop stress, 534
- Elastic limit, 13
- Elastic moment of resistance, 228
- Elastic-plastic bending, 352, 353
- Elastic stress-strain relations, 111
- Elasticity, 13
- Element of disc, 544
  - constant strength, 545
- Elements,
  - brick, 628
  - conical, 628
  - curved, 628
  - finite, 627
  - tetrahedron, 628
  - three node rod, 638
  - triangular, 629
- Elongation at fracture, 20
- End fixing moment and maximum deflections
  - Table, 349
- Endurance limit, 53
- Endurance-stress curves, 53
- Endurance under repeated stresses, 53
- Energy, complementary, 413, 414
  - strain, 390, 414
  - problems of bending, 415
- Energy methods, 390
- Equilibrium, 8
- Equilibrium considerations, 546
- Equilibrium, neutral, 427
  - stable, 427
  - unstable, 427
- Euler formula, 426
  
- Failure, compressed timber, 97
  - riveted joints, 76
- Failure of composites, 150
- Failure of materials in compression, 96
- Fatigue, endurance limit, 53
  - repeated stresses, 53
- Fibre composites, 132
- Fillet weld, 87
- Finite element method, 627
  
- Fixed-end moments, 339, 342
- Flexural buckling of a pin-ended strut, 424
  - with other cross-sectional forms, 448
- Flexural shearing stresses in an I-beam, 251
- Flexural stiffness, 215
- Forced vibrations of beams, 649
- Fracture, elongation, 20
- Frames, pin-jointed, 55
  - redundant, 56
  - simply-stiff, 56
  - single member, 414
  - statically-determinate pin-jointed, 56
- Free body diagram, 57, 62
- Free vibrations of beams, 649
- Frequencies
  - natural, 649
  - resonant, 663
- Fully-plastic moment, 355
  - I-section, 355
  
- Geometrical imperfections, 430
- Geometrical properties of cross-sections, 200
  - Table, 209
- Global and local co-ordinate, 574
- Group-bolted joints, 82
- Group-riveted joints, 82
  
- Hooke's law, 13
- Hoop stress in cylinders, 153, 161
- Hot driven rivets, 80
- Hydrostatic pressure, 128, 145
- Hydrostatic tensile pressure, 130
- Hydrostatic tensile stress, 131
  
- I-beam, shearing stresses, 250
- Importance of connections, 76
- Inelastic extensions, 13
- Inflection, points of, 185
- Influence lines, bending moment
  - and shearing force, 194, 196
- Initial curvature in struts, 436
- Initial stresses, 41
- Initially curved pin-ended strut, 436
- In-plane equations, 139
- In-plane stresses and strains
  - in a laminate, 139
- Instability, 426
- Intensity of loading of a beam, 170
- Interaction curves for struts, 438, 439
- Introduction to matrix algebra, 550
- Isotropic, orthotropic and anisotropic, 132

- Joints, 76
    - bolted, 76
    - efficiency, 81
    - group-bolted, 82
    - group-riveted, 82
    - method of joints, 57
    - riveted, 76
    - single-riveted lap, 76
    - tapered cover plates, 83
    - under eccentric loads, 83
- Kinetic energy, 657, 658
- Lamé line. 519
  - aluminium alloy, 526, 528
  - elastic zone, 533, 537
  - external pressure case, 522
  - solid shaft, 524
  - steel, pressure, 528
  - steel ring, 523
  - steel tube, shrinkage, 527
  - thick cylinder, 521
- Lap joint, single-riveted, 76
- Large deflections of plates, 476
  - power series solution, 479
- Lateral buckling of beams, 454
- Lateral deflection of circular plates, 458
- Lateral strains, 33
- Lines of principal stress, 256
- Limit of endurance, 53
- Limit of proportionality, 13, 31
- Load factors, 33, 401
- Local and global co-ordinates, 571
- Longitudinal joint efficiency, 161
- Longitudinal stresses in beams, 212
- Longitudinal stress in cylinders, 154, 161
- Longitudinal stresses while shearing forces are present, 229
- Lower yield point, 21
- Lüder's lines, 96
- Mass matrix
  - beam, 676
  - frame, 684
  - rod, 659
- Material properties, 131
- Matrix
  - addition, 552
  - adjoint, 557
  - cofactor, 557
  - column, 551
  - definition, 550
  - determinants, 556
  - diagonal, 555
  - inverse, 559
  - multiplication, 554
  - orthogonal, 560, 561
  - rectangular, 550
  - rigid-jointed plane frames, 607
  - row, 551
  - square, 555
  - subtraction, 553
  - symmetrical, 555, 556
  - unit, 555, 560, 686
- Matrix algebra, 550
- Matrix displacement method, 623
- Matrix methods of structural analysis, 565
- Matrix of shape functions, 632
- Maximum shearing stress, 101
- Measurement of shearing stress, 68
- Mechanisms
  - beam, 401
  - combined, 401
  - sway, 401
- Method of joints, 57
- Method of minimum, potential, 419
- Method of 'moment-areas', 327
- Method of sections, 62
- Mild-steel, barrel-like failure, 23
  - cup-and-cone failure, 23
  - plastic bending, 397
  - strain figures, 96
  - stress-strain curves, 21
  - yielding, 21
- Minimum potential, 637
- Mises yield criterion, 148
- Modes of buckling, 426
  - cruciform strut, 452
  - pin-ended, 424
  - torsional, 452
- Modes of vibration of a beam, 648, 682
- Modulus, bulk, 129
  - elastic section, 228
  - shearing, 73
  - Young's, 18, 19
- Mohr's circle of strain, 111
- Mohr's circle of stress, 103, 104
  - three dimensional system, 126
- Moments-areas, 327
- More general case of plastic bending, 357
- More general case of pure bending, 222

- Natural frequency of a mass on a beam, 643
- Necking, 21, 23
- Neutral axis, 284
- Neutral equilibrium, 427
- Neutral surface, 213
- Newton's laws, 2
- No interference fit, 529
- Non-linear members in frames, 415
- Non-uniformly distributed load and terminal couples, 327
- Normal stress, 15
- Numerical integration of the moment
  - Table, 333
- Numerical solution of torsional equation, 504
  
- Open-sections, torsion, 387
- Ordinary reinforced concrete, 272
  
- Parallel axes theorem, 202, 203
- Partially plastic cylinder, 533
- Perpendicular axes theorem, 200, 201
- Pin-ended strut with eccentric end thrusts, 432
- Pin-jointed frames, 55
- Pin-jointed space trusses, 587
- Plane curved beams, 189
- Plane, pin-jointed truss, 571, 576
- Plane, rod element, 574
- Plane strain, 124, 635
- Plane stress, 124, 635
- Planes, principal stress, 100, 101
- Plastic bending, mild-steel beams 350, 397
  - fully-plastic moment, 352, 355, 398
  - plastic section modulus, 359
  - shape factor, 357, 360
  - strain-hardening, 350
  - virtual-work solution, 397
  - Table, 360
- Plastic collapse of built-in beams, 364
- Plastic collapse of rotating discs, 546
- Plastic deformation of thick tubes, 531
- Plastic design of frameworks, 401
  - beam mechanism, 401, 402, 404
  - combined beam and sway mechanism, 401, 403, 405
  - sway mechanism, 401, 402
  - two-storey, 407
  - two-way, 407
- Plastic-elastic bending, 352
- Plastic extensions, 13
- Plastic hinges, 402
  
- Plastic regions in beams, 361
- Plastic section modulus, 359
- Plastic straining, work done in, 40
- Plastic torsion, 511
- Plate differential equation, 458
- Points of contraflexure, 186
- Points of inflection, 185
- Poisson's ratio, 33, 34
  - relation between  $E$ ,  $G$  and  $\nu$ , 115
- Prandtl's membrane analogy, 504
- Pressure, cause yield, 534
  - plastic collapse, 535
- Pre-stressed concrete beams, 289
- Principal axis of bending, 216
- Principal planes, 100, 101
- Principal second moments of area, 230
- Principal strains, 112
- Principal stresses, 100, 101
  - beams, 256
  - lines of, 256
  - twisted shafts, 374
- Principle of super position, 176
- Principle of virtual work, 365, 391, 403, 413
- Proof stresses, 30, 31
- Properties of materials, 37
- Proportionality limit, 13, 31
- Propped cantilever, 304
- Pure bending, 212
  - rectangular beam, 213
  - shear, 115
  
- Rankine constants
  - Table, 430
- Rankine-Gordon formula, 428, 430
- Rayleigh-Ritz method, 419
  - minimum potential 419
- Redundant frames, 56
- Regions of plasticity, 361
- Reinforced concrete beams, 272
- Relationship between bending moment and shearing force  $E$ ,  $G$  and  $\nu$ , 115
- Relationship between intensity of loading shearing force and bending moment, 170
- Removal of stresses, 19
- Repeated stresses, 58
- Rigidity modulus, 73
- Rigid-jointed frame, 607
- Ring element, 548
- Riveted joints, 76
  - modes of failure, 76
- Rivets

- cold-driven, 80
  - hot-driven, 80
- Rod element, 571
- Rolling load, 194
- Rosettes, strain, 118
- Rotating circular ring,
- Rotating discs, 543
  - plastic collapse, 546
- Scalars, 2
- Second moments of area, 201, 215, 230
  - circle, 237
- Section modulus, elastic, 228, 359
  - plastic, 356, 359
- Shafts,
  - torsion of hollow, 370
  - torsion of solid, 368
- Shape factor, 357, 401
- Shape functions, 632
- Shear centre, 259, 261
- Shear deflections of beams, 333
- Shear deflections of very thick plates, 486
- Shear flow, 383
- Shearing force, 67, 169
  - diagrams, 173, 175, 179
  - influence lines, 194, 196
  - sign conventions, 172
  - sagging and bending moments, 172
- Shearing modulus, 382
- Shearing strain, 73, 114
  - energy, 73
- Shearing stress, 67, 95
  - complementary, 71
  - maximum, 101
  - tensile specimen, 94
- Shearing stresses in beams, 245
  - channel-section, 259
  - I-beam, 250
  - narrow rectangular
    - cross-section, 245
- Shearing stress-strain curve, 382
- Shells, cylindrical, 152, 155, 163
  - spherical, 162, 540
  - thick spherical, 540
- Sign conventions for bending moments
  - and shearing forces, 172
- Simply-stiff frames, 56
- Simply-supported beams, 178, 183
- Simply-supported beams carrying
  - concentrated lateral load, 300
  - distributed load over a span, 313
  - uniformly distributed load, 187, 300
- non-uniformly distributed load, 188
  - with a couple applied at
    - intermediate point, 316
- Simultaneous equations, 561
- Single-riveted lap joint, 76
- Sinking of beam supports, 345
- Slope-deflection equations, 347
- Solution of simultaneous equations, 561
- Spherical shells, 162
- Stable equilibrium, 427
- Statically-determinate frames, 56, 413
- Statically-determinate problems, 55
- Statically-indeterminate beams, 396
- Statically-indeterminate frames, 55
- Statically-indeterminate problems, 55, 63
- Statics, 3
- Stiffness, economy of materials, 36
- Stiffness matrix, 565
  - beam, 598
  - elemental, 565
  - frame, 607
  - rod, 565, 574, 580, 659
  - structural, 567
  - system, 567
- Strain
  - inclined direction, 109
  - inclined plane, 109
- Strain analysis, 94
  - compatibility, 64
  - compressive, 17
- Strain energy, 13, 39, 73, 414
  - bending, 239
  - distortional, 130, 131
  - elastic extensions, 39
  - elastic torsion, 378
  - shearing actions, 73
  - tensile test, 39
  - three dimensional systems, 126
  - two-dimensional stresses, 112, 126
  - volume intensity, 40
- Strain figures in mild-steel, 96
- Strain-hardening, 21, 350
  - plastic bending, 350
- Strain, Mohr's circle, 111
  - principal, 112
  - rate, 22
  - rosettes, 118, 121
  - shearing, 73, 114
  - tensile, 17
  - volumetric, 34, 128, 155
- Strength properties, 36
  - Table, 37
- Stress, analysis, 94
  - complementary shearing, 71

- compressive, 15
- creep due to, 52
- direct, 15, 33, 95
- effect of removal, 19
- endurance curves, 53
- factor, 32, 33
- Stress, fatigue due to repeated, 53
  - general two-dimensional, 97
  - initial, 41
  - longitudinal in beams, 212
  - maximum shearing, 101
  - Mohr's circle, 103, 127
  - principal, 100, 101, 256
  - proof, 30, 31
  - shearing, 68, 95, 245
  - temperature effects, 45
  - tensile, 14
  - three-dimensional systems, 127
  - two-dimensional system, 126
  - ultimate, 21
  - working, 32
  - yield, 22
- Stress, inclined plane, 98, 99
- Stress-strain curves, brittle materials, 18
  - concrete, 20
  - ductile materials, 20
  - high tensile steel, 18
  - mild steel, 21
- Stress-strain relations, elastic, 112
- Stretching of a steel wire, 12
- Strip, torsion of, 385
- Structural vibrations, 643
- Struts, buckling of pin-ended, 424
  - built-in, 444
  - design of pin-ended, 440
  - eccentrically-loaded, 432
  - effective lengths, 431
  - geometrical imperfections, 430
  - initially-curved, 436
  - interaction curves, 438, 439
  - laterally-loaded, 441
  - modes of buckling of a cruciform, 452
  - one end fixed, other end free, 444
  - one end pinned, other end fixed, 445
  - other cross-sectional forms, 448
  - torsional buckling, 450, 452
  - various end conditions, 444, 445
  - various types of
    - cross-section, 448, 450
- Superimposed beams, 258
- Sway mechanism, 401
- Tapered cover plates for riveted joints, 83
- Temperature stresses, 45
  - composite bars, 45
- Tensile strain, 17, 21
- Tensile stress, 14, 21
- Tensile test, strain energy, work done, 39
- Tension, 4, 12
  - composite bars, 42
- Thick circular cylinders, discs and spheres, 515
- Thick spherical shells, 540
  - hemispherical, 540
- Thin shells, 152, 162
- Three-dimensional stress systems
- Throat of weld, 87
- Timber beam with reinforcing steel
  - flange plates, 270
- Torsion of
  - circular shafts, 307
  - constant, 385
  - non-circular sections, 492
  - plastic, 511
  - Prandtl's membrane analogy, 504
  - shear stress  $\tau$  and Torque  $T$
  - thin-walled tubes, 367
  - varying circular cross-section, 507
- Torsion, combined with direct stresses, 375
  - constant, 385
  - flat rectangular strip, 385
  - hollow circular shaft, 370
  - plastic, 379
  - principal stresses, 374
  - solid circular shaft, 368
  - strain energy, 378
  - thin circular tube, 367
  - thin non-circular tube, 382
  - thin rectangular strip, 385
  - thin-walled open sections, 387
- Torsion combined with thrust or tension, 375
- Torsional buckling of struts, 452
- Torsional equation, 492
  - non-circular sections, 495
  - numerical solution of, 504
- Transformed sections, 266, 267
- Tresca yield criterion, 148, 531
- Triangular element, 629
- Trigonometrical definitions, 1
- Truss
  - plane, 576, 663
  - space, 587, 670
- Tubes
  - compound, 525
  - torsion of non-circular, 382
  - torsion of thin circular, 367

- Twisted shaft, principle stresses, 374
- Two bay framework, 407
- Two-dimensional shearing strain, 114
- Two-dimensional stress system, 97
- Two storey framework, 407
  
- Ultimate stress, 21
- Unstable equilibrium, 427
- Upper yield point, 21
  
- Values of principal stresses, 100
- Varying circular cross-section,
- Vectors, 2
- Vibrations of beams, 643
  - damped, 652
  - damped forced oscillations, 655
  - free, 643, 646
  - forced, 649
  - natural frequency, 643
  - with distributed mass, 646
  - with end thrust, 656
- Vibration modes, 648
- Virtual work principle, 365, 391, 396, 397
- Volumetric strain, 34, 128, 155
  
- Weight economy of materials, 36
- Weld, butt, 86
  - fillet, 87
  - throat, 87
- Welded connections, 86, 89
- Work done in plastic straining, 40
- Work done in tensile test, 39
- Working stresses, 32
  
- Yield, combined stresses, 144
  - criterion, 147
  - envelope, 147
  - locus, 147
  - mild steel, 21
- Yield point, lower, 21
  - upper, 21
- Yield stress, 22
  - effect of strain rate, 22, 401, 546
- Yielding of ductile materials
  - under combined stresses, 144
- Young's modulus, 18, 19
  - of elasticity, 566
  - relationship with  $E$ ,  $G$  and  $\nu$ , 115