
Structural Scheme Design Guide

**Version 3.0
August 1998**

Ove Arup & Partners
Arup Research & Development

Structural Scheme Design Guide

Version 3.0

August 1998

Ove Arup & Partners Arup Research & Development
13 Fitzroy Street London W1P 6BQ
Telephone +44 (0)171 636 1531 Facsimile +44 (0)171 465

THE ARUP STRUCTURAL SCHEME DESIGN GUIDE

CONTENTS

VER 3.0 / Aug 1998

1. Building Geometry & Anatomy

- 1.1 Typical grid dimensions
- 1.2 Typical sections
- 1.3 Typical service zone requirements
- 1.4 Car parks
- 1.5 References

2. Guide to Costs

- 2.1 Comparative European costs for material supply
- 2.2 Relative costs of steel subgrades

3. Loads

- 3.1 Density of materials
- 3.2 Dead loading
- 3.3 Typical imposed loading
- 3.4 Imposed loads on barriers
- 3.5 References

4.1 Properties of Structural Materials

4.2 Reinforced Concrete

- 4.2.1 Rules of thumb
- 4.2.2 Load factors
- 4.2.3 Beams
- 4.2.4 Slabs
- 4.2.5 Stiffness
- 4.2.6 Columns
- 4.2.7 Creep and Shrinkage
- 4.2.8 Bar and mesh areas and weights
- 4.2.9 References

4.3 Prestressed Concrete

- 4.3.1 Rules of thumb
- 4.3.2 Common strands
- 4.3.3 Common tendons
- 4.3.4 Equivalent loads
- 4.3.5 Allowable stresses at service loads
- 4.3.6 Ultimate bending strength
- 4.3.7 Shear
- 4.3.8 References

4.4 Steel (Non-Composite)

- 4.4.1 Rules of thumb
- 4.4.2 Load factors
- 4.4.3 Design strength
- 4.4.4 Beam design
- 4.4.5 Columns (and beam columns)
- 4.4.6 Portal Frame sizing
- 4.4.7 Element stiffness
- 4.4.8 Connections
- 4.4.9 Corrosion protection
- 4.4.10 Section properties
- 4.4.11 References

4.5 Composite Steel and Concrete

- 4.5.1 Rules of thumb
- 4.5.2 Load factors
- 4.5.3 Bending resistance
- 4.5.4 Shear connectors

- 4.5.5 Bending strength (during construction)
- 4.5.6 Stiffness
- 4.5.7 Safe load tables
- 4.5.8 References

4.6 Timber

- 4.6.1 Rules of thumb
- 4.6.2 Materials supply
- 4.6.3 Grade stresses
- 4.6.4 Sizing of elements in domestic construction
- 4.6.5 Outline of design rules for timber members
- 4.6.6 Selected timber modification factors
- 4.6.7 Modification factor combinations
- 4.6.8 Deflection
- 4.6.9 Fasteners

4.7 Masonry

- 4.7.1 Rules of thumb
- 4.7.2 Load factors
- 4.7.3 Material factors
- 4.7.4 Modular dimensions
- 4.7.5 Typical unit strengths
- 4.7.6 Masonry compressive strength
- 4.7.7 Sizing external wall panels
- 4.7.8 Flexural strength of masonry
- 4.7.9 Internal non-loadbearing masonry walls
- 4.7.10 Freestanding masonry walls
- 4.7.11 Joints
- 4.7.12 Other issues

4.8 Aluminium

- 4.8.1 Main structural alloys
- 4.8.2 Durability
- 4.8.3 Typical physical properties
- 4.8.4 Design

4.9 Stainless Steel

- 4.9.1 Material grades
- 4.9.2 Mechanical properties
- 4.9.3 Physical properties
- 4.9.4 Design strength
- 4.9.6 Availability
- 4.9.7 References

5. Foundations

- 5.1 General Principles
- 5.2 Appropriate foundation solutions
- 5.3 Presumed allowable bearing values under vertical, non-eccentric static loading
- 5.4 Shallow foundations
- 5.5 Piled foundations

6. Water Resistant Basements

- 6.1 Rules of thumb
- 6.2 Establish client's requirements/expectations
- 6.3 Construction options
- 6.4 Waterproofing options
- 6.5 Critical points
- 6.6 Construction joints
- 6.7 Movement joints

6.8 References

7. Fire

- 7.1 Minimum periods of fire resistance
- 7.2 Fire protection to steel elements
- 7.3 Fire protection for reinforced concrete
- 7.4 Fire protection for masonry
- 7.5 Fire requirements for timber

APPENDIX A Mathematical Formulae

- A.1 Trigonometric functions
- A.2 Hyperbolic functions
- A.3 Standard indefinite integrals
- A.4 Standard substitutions for integration
- A.5 Geometrical properties of plane sections
- A.6 Conversion factors

APPENDIX B Analysis Formulae

- B.1 Elastic bending formulae
- B.2 Elastic torsion formulae
- B.3 Taut wires, cables or chains
- B.4 Vibration
- B.5 Design formulae for beams - cantilever
- B.6 Design formulae for beams - fixed both ends
- B.7 Design formulae for beams - simply supported
- B.8 Design formulae for beams - propped cantilever

APPENDIX C Useful Design Data

- C.1 Road transportation limitations
- C.2 Craneage data - double girder
- C.3 Craneage data - double hoist
- C.4 Standard rail sections
- C.5 Typical bend radii - rolled sections
- C.6 Safe loads for 25 tonne capacity mobile crane
- C.7 Standard durbar plate sections
- C.8 RHS sections - standard lengths
- C.9 CHS Sections - standard lengths
- C.10 Carbon steel plate sections - standard sizes
- C.11 Carbon and carbon manganese wide flats - standard sizes
- C.12 Fasteners - mechanical properties and dimensions of typical bolts
- C.13 Fasteners - clearance for tightening
- C.14 Fasteners - high strength friction grip bolts
- C.15 Staircase dimensions

APPENDIX D Proprietary Components

- D.1 Macalloy bars
- D.2 Composite decking [Richard Lees Ltd] [Ward Multideck 60]
- D.3 Purlin systems [Metsec]
- D.4 Precast hollow composite concrete floors [Bison]
- D.5 Heavy duty anchors [Hilti-Feb 1994]